



PRODUCT DESCRIPTION

The BW-RNN series includes trailed sprayers with an air fan featuring adjustable blades in fiberglass-reinforced nylon, suitable for treatments on various medium-height crops. The **"Normal"** line is a range of sprayers designed for spraying treatments with more complete and durable components, for greater longevity

STANDARD EQUIPMENT

- Galvanized fixed drawbar with adjustable length
- **Hot galvanized chassis**
- **Low-profile main tank in high-density polyethylene (HDPE) with 9 mm thickness on 600/800/1000/1500 L versions**
- **Low-profile main tank in high-density polyethylene (HDPE) with 10 mm thickness on 2000/3000 L versions**
- Circuit rinsing and hand washing tank
- **Brass remote manual control group mounted on the tractor - BMS 50 - ANNOVI REVERBERI**
- **ANNOVI REVERBERI brass pump**
- **Hot-dip galvanized conveyor assembly and components**
- Air fan with adjustable **fiberglass-reinforced nylon blades Ø70 cm with 2 operating speeds (V) + neutral (F) with incoming air straightener**
- Air fan with adjustable **fiberglass-reinforced nylon blades Ø80/Ø90 cm with 2 operating speeds (V) + neutral (F) with out-let air straightener**
- Directional side deflectors on Ø70/Ø80/Ø90 cm versions
- Air fan with **ferodo clutch (except Ø70 cm version)**
- Nozzle-holder arches in **stainless steel** and **brass anti-drip double-nozzles**
- External suction filter with self-filling
- Internal Agitator
- Adjustable support wheel
- Standard galvanized lower tank protection **on the 1000 L version due to the tank's shape.**
- Axle with adjustable width and height
- Rear light and reflector kit
- Compliant with Regulation (EU) 2023/1230
- Road approval
- Tyres **225/60 - R15 - RADIAL - 5 fori** on **600/800 L** versions
- Tyres **10.0/80 - R12 - 10PR - 5-hole** pattern on **1000 L** version
- Tyres **13.0 / 55 - R16 - 14PR - 6 fori** pattern on **1500/2000 L** versions
- Tyres **285/70 - R19,5 - 6-hole** pattern on **3000 L** version
- Machine supplied without cardan shaft

CONFIGURATIONS

MODEL						Model	L/Min			m³/h			CODE
BW600 RNN	70 cm	8	10	2V+F	A:4,5 m B:6,5 m	BHS90	90	40/50 hp	600 L	20000 - 25000	L:243 - P:115 - H:120 cm	460 Kg	ATO0454A-D
BW800 RNN	70 cm	8	10	2V+F	A:4,5 m B:6,5 m	BHS90	90	50/60 hp	800 L	20000 - 25000	L:257 - P:120 - H:120 cm	490 Kg	ATO0441A-D
BW1000 RNN	80 cm	8	12	2V+F	A:4,5 m B:6,5 m	BHS105	105	60/70 hp	1000 L	30000 - 40000	L:295 - P:134 - H:128 cm	520 Kg	ATO0075A-D
BW1500 RNN	90 cm	8	14	2V+F	A:8,0 m B:11,0 m	BHS130	130	70/80 hp	1500 L	40000 - 50000	L:330 - P:138 - H:133 cm	550 Kg	ATO0527A-D
BW2000 RNN	90 cm	8	14	2V+F	A:8,0 m B:11,0 m	BHS150	150	70/80 hp	2000 L	40000 - 50000	L:345 - P:160 - H:140 cm	580 Kg	ATO0204A-D
BW3000 RNN	90 cm	8	14	2V+F	A:8,0 m B:11,0 m	BHS170	170	80/90 hp	3000 L	40000 - 50000	L:370 - P:190 - H:150 cm	730 Kg	ATO0152A-D

BW - RNE / BW - RNN



ACCESSORIES ON REQUEST

	1	T40-900	T50-900	T50-1100
		CODE	CODE	CODE
		TRA0959	TRA0961	TRA1006
Cardan shaft				

	2	T40-900	T60-900	T60-1000	T60-1200
		CODE	CODE	CODE	CODE
		TRA1000	TRA0998	TRA0997	TRA1184
Homokinetic cardan shaft					

	3	CODE			
		COM0173			
		Brass Remote electric high-pressure control unit with pressure regulator on the frame (2 SECTIONS) BRAGLIA			

	4	CODE			
		COM0165			
		Brass Remote electric high-pressure control unit with pressure regulator on the tractor (2 SECTIONS) BRAGLIA			


	5	CODE			
		4S - COM0143			
		Electric control unit 4.0 / 5.0 High pressure - (2 SECTIONS) - BRAGLIA			

	6	CODE			
		COM0054			
		Electric control unit 4.0 / 5.0 High pressure - (2 SECTIONS) - ARAG			

	7	600/800/1000 L	1500/2000 L	3000 L
		CODE	CODE	CODE
		ATO0119A-N	ATO0120A-N	ATO0221A-N
Autosteer adjustable drawbar (Maggio Steering) with tractor trailer hitch NOT APPROVED FOR ROAD CIRCULATION (Use in private areas, not road legal) See page 133				


	8	1500/2000 L	3000 L
		CODE	CODE
		ATO0678A	ATO0673A
Autosteer drawbar with attachment to tractor lift arms NOT APPROVED FOR ROAD CIRCULATION (Use in private areas, not road legal) See page 133			

	9	600/800/1000 L	1500/2000 L	3000 L
		CODE	CODE	CODE
		ATO0119A	ATO0120A	ATO0221A
Autosteer adjustable drawbar (Maggio Steering) with tractor trailer hitch APPROVED FOR ROAD CIRCULATION only with Maggio SRL sprayers- See page 133				

	10	CODE			
		ATO0556A			
		Galvanized lower tank protection (standard only on the 1000 L version due to the tank's shape)			

	11	CODE			
		COM0024			
		Brass filter kit for nozzle holder arches (2 filters included)			

	12	CODE			
		ATO0557A			
		LED Light kit for treatments in low-light conditions			

	13	CODE			
		IRR0445			
		Leaf guard			

BW - RNE / BW - RNN



ACCESSORIES ON REQUEST

	14	600 to 2000 L	3000 L
		CODE	CODE
		ATO0555A	ATO0695A-D
Additional cost for hydraulic axle lifting system NOT APPROVED FOR ROAD USE (Use in private areas only, not road legal)			

	15	Ø70 cm	Ø80 cm	Ø90 cm
		CODE	CODE	CODE
		ATO0063A	ATO0057A	ATO0062A
Upper directional air deflector with nozzle kit - for Ø70/80/90 cm fans				

	16	Ø80 cm	Ø90 cm
		CODE	CODE
		IRR0232	IRR0230
Incoming air straightener - Ø70/80/90 cm			

ACCESSORIES ON REQUEST | RNE

	17	Ø70 cm	Ø80 cm	Ø90 cm	
		CODE	CODE	CODE	
		ATO0103A	ATO0105A	ATO0476A	
	Fan unit complete with outlet airflow straightener for Ø80/90 cm models (Ø70 cm model with inlet airflow straightener), nozzles and 2 speed settings (V) + neutral (F) , without clutch				
					m³/h
Ø 70 cm	8	10	2V+F	A:4,5 - B:6,5 m	20000-25000
Ø 80 cm	8	12	2V+F	A:6,0 - B:8,0 m	30000-40000
Ø 90 cm	8	14	2V+F	A:8,0 - B:11,0 m	40000-50000

ACCESSORIES ON REQUEST | RNE

	18	CODE
		Ø80 - IRR0289
		Ø90 - IRR0292
Supplement for fan with adjustable nylon blades and ferodo clutch - Ø80/90 cm		

	19	CODE
		COM0174
		Suction pesticide mixer kit

	20	Ø70 cm	Ø80 cm	Ø90 cm	
		CODE	CODE	CODE	
		ATO0103A	ATO0431A	ATO0106A	
	Fan unit complete with outlet airflow straightener and ferodo clutch for Ø80/90 cm models (Ø70 cm model with inlet airflow straightener and no clutch), nozzles and 2 speed settings (V) + neutral (F).				
					m³/h
Ø 70 cm	8	10	2V+F	A:4,5 - B:6,5 m	20000-25000
Ø 80 cm	8	12	2V+F	A:6,0 - B:8,0 m	30000-40000
Ø 90 cm	8	14	2V+F	A:8,0 - B:11,0 m	40000-50000

	21	CODE	
		Ø80 - IRR0365	
		Ø90 - IRR0366	
		Adjustable aluminium blade fan with ferodo clutch Ø80/90cm	