

TRAILED SPRAYER WITH "TURBO LINE" FAN UNIT



PRODUCT DESCRIPTION

The **BW-RNT (Turbo)** series includes trailed sprayers with fiberglass reinforced nylon adjustable blade air fans, suitable for treatments on various tall crops with very dense canopies. The **'Turbo'** line is a range of sprayers that, through the **30/34 nozzle** system, allows a fine and uniform mist, ensuring effective canopy coverage and preventing dripping. The high throw distances, while guaranteeing a wide flow rate, are balanced by this precise nebulization through the upper and lower directional kit, which allows directing the sprayed product, reducing the environmental impact of treatments

STANDARD EQUIPMENT

- Galvanized fixed drawbar with adjustable length
- **Hot galvanized chassis**
- **Low-profile main tank in high-density polyethylene (HDPE) with 9 mm thickness on 600/800/1000/1500 L versions**
- **Low-profile main tank in high-density polyethylene (HDPE) with 10 mm thickness on 2000/3000 L versions**
- Circuit rinsing and hand washing tank
- **Brass remote manual control group mounted on the tractor - BMS 50 - ANNOVI REVERBERI**
- **ANNOVI REVERBERI brass pump**
- **Stainless steel** conveyor assembly and components
- **Fiberglass reinforced nylon** adjustable blade air fan **Ø90/Ø100 cm** with **2 operating speeds (V) + neutral (F)**
- Air fan with **ferodo clutch**
- **Upper and lower directional deflector kit**
- Double row of **stainless steel** arches (**front and rear**) with brass anti-drip nozzles and ALBUZ nozzles
- External suction filter with self-filling
- Internal Agitator
- Pesticide suction kit with external suction filter and self-filling
- Adjustable support wheel
- Standard galvanized lower tank protection **on the 1000 L version due to the tank's shape.**
- Axle with adjustable width and height
- Rear light and reflector kit
- Compliant with Regulation (EU) 2023/1230
- Road approval
- Tyres **10.0/80 - R12 - 10PR - 5-hole** pattern on **1000 L** version
- Tyres **13.0 / 55 - R16 - 14PR - 6 fori** pattern on **1500/2000 L** versions
- Tyres **285/70 - R19,5 - 6-hole** pattern on **3000 L** version
- Machine supplied without cardan shaft

CONFIGURATIONS

MODEL													CODE
BW 1000 RNT	90 cm	30	2+F	A: 9 m	B:12,5m	BHS120	120	70/80 hp	1000 L	85600-90500	L325 - P134 - H128 cm	530 kg	ATO0510A-D
BW 1500 RNT	90 cm	30	2+F	A: 9 m	B:12,5m	BHS130	130	80/90 hp	1500 L	85600-90500	L360 - P148 - H133 cm	560 kg	ATO0511A-D
BW 2000 RNT	90 cm	30	2+F	A: 9 m	B:12,5m	BHS150	150	80/90 hp	2000 L	85600-90500	L375 - P160 - H140 cm	590 kg	ATO0432A-D
BW 3000 RNT	100 cm	34	2+F	A:11,5m	B:15 m	BHS170	170	90/100 hp	3000 L	99900-108600	L400 - P190 - H150 cm	790 kg	ATO0512A-D

BW - RNS / BW - RNT



ACCESSORIES ON REQUEST

	1	T40-900	T50-900	T50-1100
		CODE	CODE	CODE
		TRA0959	TRA0961	TRA1006
Cardan shaft				

	2	T40-900	T60-900	T60-1000	T60-1200
		CODE	CODE	CODE	CODE
		TRA1000	TRA0998	TRA0997	TRA1184
Homokinetic cardan shaft					

	3	CODE			
		COM0173			
		Brass Remote electric high-pressure control unit with pressure regulator on the frame (2 SECTIONS) BRAGLIA			

	4	CODE			
		COM0165			
		Brass Remote electric high-pressure control unit with pressure regulator on the tractor (2 SECTIONS) BRAGLIA			

	5	CODE			
		4S - COM0143			
		Electric control unit 4.0 / 5.0 High pressure - (2 SECTIONS) - BRAGLIA			


	6	CODE			
		COM0054			
		Electric control unit 4.0 / 5.0 High pressure - (2 SECTIONS) - ARAG			

	7	600/800/1000 L	1500/2000 L	3000 L
		CODE	CODE	CODE
		ATO0119A-N	ATO0120A-N	ATO0221A-N
Autosteer adjustable drawbar (Maggio Steering) with tractor trailer hitch NOT APPROVED FOR ROAD CIRCULATION (Use in private areas, not road legal) See page 133				

	8	1500/2000 L	3000 L
		CODE	CODE
		ATO0678A	ATO0673A
Autosteer drawbar with attachment to tractor lift arms NOT APPROVED FOR ROAD CIRCULATION (Use in private areas, not road legal) See page 133			

	9	600/800/1000 L	1500/2000 L	3000 L
		CODE	CODE	CODE
		ATO0119A	ATO0120A	ATO0221A
Autosteer adjustable drawbar (Maggio Steering) with tractor trailer hitch APPROVED FOR ROAD CIRCULATION only with Maggio SRL sprayers- See page 133				

	10	CODE			
		ATO0557A			
		LED Light kit for treatments in low-light conditions			


	11	CODE			
		ATO0556A			
		Galvanized lower tank protection (standard only on the 1000 L version due to the tank's shape)			

	12	600 to 2000 L	3000 L
		CODE	CODE
		ATO0555A	ATO0695A-D
Additional cost for hydraulic axle lifting system NOT APPROVED FOR ROAD USE (Use in private areas only, not road legal)			


BW - RNS / BW - RNT



ACCESSORIES ON REQUEST | RNS

	13	Ø90 cm			Ø100 cm (Except for 1000 L)	
		CODE			CODE	
		IRR0513			IRR0457	
Fan unit complete with fiberglass reinforced nylon adjustable fan blades, ferodo clutch Ø90/Ø100 cm, 2 speed settings (V) + neutral (F) and double row of nozzles with ALBUZ nozzles						
					m³/h	
Ø 90 cm	9	24	2V+F	A: 9 m	B: 11 m	85600-90500
Ø 100 cm	9	26	2V+F	A: 11,5 m	B: 13 m	99900-108600

	14	Ø90 cm			Ø100 cm	
		CODE			CODE	
		IRR0514			IRR0459	
Upper air conveyor kit Ø90/100 cm						

	15	Ø90 cm			Ø100 cm	
		CODE			CODE	
		IRR0515			IRR0460	
Lower air conveyor kit Ø90/100 cm						

ACCESSORIES ON REQUEST | RNT

	16	Ø90 cm			Ø100 cm (Except for 1000 L)		
		CODE			CODE		
		IRR0519			IRR0520		
	Fan unit complete with fiberglass reinforced nylon adjustable fan blades, ferodo clutch Ø90/Ø100 cm, 2 speed settings (V) + neutral (F) and double row of nozzles with ALBUZ nozzles and upper/lower air conveyor kit						
					m³/h		
Ø 90 cm	9	30	2V+F	A: 9 m	B: 12,5 m	85600-90500	
Ø 100 cm	9	34	2V+F	A: 11,5 m	B: 15 m	99900-108600	

