




PRODUCT DESCRIPTION

The CMI cultivator, combined with M260-M300 hopper, works the soil and spreads fertilizer in a single pass. It is highly precise and suitable for sowing broad beans (not suitable for sowing mixtures) and for distributing granular or pelletized fertilizer. The fertilizer spreading system has adjustable openings made of AISI 304 stainless steel, and a hydraulic agitator that mixes and distributes seeds and fertilizer evenly

STANDARD EQUIPMENT

- Universal 3-point hitch Cat.2
- Variable adjustment of pantograph working width
- Depth wheels
- Wear-resistant stamped steel tines
- Spring damper **Ø80mm**
- **Wear-resistant steel bushings on the shanks with greaser**
- Small tool hoe for summer and **winter soil work, removing lateral spreaders**
- Right and left rounded side protections
- Safety protections
- Opening and closing outlets in stainless steel AISI 304
- Painted steel hopper **(V)**
- AISI 304 stainless steel hopper **(I)**
- Variable hydraulic agitator
- Modular openings and closures with **MECHANICAL** automatic opening system **(optional Hydraulic opening system)**
- Opening regulator with graduated scale

CONFIGURATIONS

MODEL									"PAINTED" CODE (V)	"INOX" CODE (I)
CMI - 5/M260	150 - 200 cm	5	530 Kg	60/70 hp	Ø 80 mm	260 LT	3		COL0456A-D	COL0460A-D
CMI - 5/M300	150 - 200 cm	5	540 Kg	60/70 hp	Ø 80 mm	300 LT	3		COL0457A-D	COL0461A-D
CMI - 7/M260	165 - 230 cm	7	680 Kg	70/80 hp	Ø 80 mm	260 LT	3		COL0458A-D	COL0462A-D
CMI - 7/M300	165 - 230 cm	7	690 Kg	70/80 hp	Ø 80 mm	300 LT	3		COL0459A-D	COL0463A-D
CMI - P7/M260	175 - 250 cm	7	760 Kg	70/80 hp	Ø 80 mm	260 LT	3		COL0704A-D	COL0706A-D
CMI - P7/M300	175 - 250 cm	7	770Kg	70/80 hp	Ø 80 mm	300 LT	3		COL0705A-D	COL0707A-D

DIMENSIONS




MODEL	M 260 V I	M 300 V I
H	125 cm	145 cm

Please note: The machine weight is variable depending on the selected accessories. The listed value should be considered indicative only



ACCESSORIES ON REQUEST

	1	CODE			
		COL0475A			
Auto-leveling single line harrow comb (Price per linear meter)					
	2	CODE			
		STD1010P			
Subsoiling hoe					
	3	CODE			
		STD0161A			
Pair of floodway plowshare - R/L					
	4	CODE			
		COL0480A			
Pair of S-shaped tines - R/L					
	5	130 cm	140 cm	150 cm	160 cm
		CODE	CODE	CODE	CODE
		COL0113A	COL0004A	COL0101A	COL0297A
	Self-leveling helical roller Ø 35 cm N.B. Sizes other than those listed can be manufactured upon request				
	6	130 cm	140 cm	150 cm	160 cm
		CODE	CODE	CODE	CODE
		COL0700A	COL0697A	COL0698A	COL0699A
	Self-leveling roller PACKER Ø35 cm N.B. Sizes other than those listed can be manufactured upon request				
	7	CODE			
		COL0419A			
Right-hand inter-row head kit with emergency push-button, hoses for connection to tractor hydraulic system (MIN/MAX consumption - 15/20 Lt/min), complete with fixing bracket. N.B.: THE HEAD MUST BE CONFIGURED BY INSERTING THE WORKING TOOL AND THE SAFETY TOOL.					
	8	50 cm	60 cm	80 cm	
		CODE	CODE	CODE	
		COL0245A	COL0246A	COL0464A	
Right side inter-row blade group. Components: HARODX blade, raking tool and lug (For accessory N.7)					
	9	CODE			
		COL0261A			
Right interrow plowshare (For accessory n.7)					
	11	CODE			
		COL0346A			
Right kit of Adjustable track eradicator disc Ø33 cm (for accessory n.7)					
	10	CODE			
		R - COL0508A			
Safety shank. Protects the blade in case of collision with obstacles Supplied with tool hoe R/L (For accessory n.7)					
	12	CODE			
		COL0433A			
Hydraulic device for opening and closing fertilizer outlets					
	13	260 LT - Painted	300 LT - Painted	260 LT - Inox	300 LT - Inox
		CODE	CODE	CODE	CODE
		COL0388A-D	COL0526A-D	COL0395A-D	COL0527A-D
Fertilizer hopper - Painted (M260/300 V) - Inox (M260/300 I) Supplied with pipes and fixing kit to adapt to any plow					

