


≡ INTERMAX - D

INTER-ROW COMBINED MACHINE WITH DOUBLE ARMS AND CENTRAL CULTIVATOR



PRODUCT DESCRIPTION

INTERMAX-D seires includes right and left sided arms, used for the cultivation of vineyards and orchards inter-rows. An hydraulic system allows a simplified adaptation to the row width. INTERMAX -D has the possibility to mount up 12 interchangeable accessories, enabling to run all working necessities. This equipment is designed for central row cultivating using a pantograph-type cultivator with shock-absorbing shanks.


STANDARD EQUIPMENT

- Universal 3-point hitch Cat.2
- Electro-hydraulic emergency device with temporary or permanent arm recall button in case of manoeuvring
- Hydraulic regulation system of working width with **pantograph-type system**
- Three positions Recordable sensor (inclination, length, distance)
- **Independent hydraulic system with oil cooling**
- Gearbox unit with **PTO (540 rpm)**
- **Accessory arm speed control valve**
- Mechanically Adjustable Depth lateral wheels (*Optional Hydraulic Adjustment R/L*)
- Drive shaft T40/600
- Variable cultivator with shock-absorbing shanks and hoes for summer and winter plowing

CONFIGURATIONS

MODEL	 MIN MAX					CODE
INTERMAX - D2000	200 - 250 cm	60 cm	5	730 Kg	50/60 hp	INT0057A-D
INTERMAX - D2500	250 - 350 cm	60 cm	7	790 Kg	60/70 hp	INT0085A-D
INTERMAX - D3000	300 - 450 cm	60 cm	9	830 Kg	70/80 hp	INT0284A-D

USAGE GUIDE



MODEL	A (min)	B (min - max)
D 2000	60 cm	200-250 cm
D 2500	60 cm	250-350 cm
D 3000	60 cm	300-450 cm

Please note: The machine weight is variable depending on the selected accessories. The listed value should be considered indicative only

INTERMAX - DC / INTERMAX D



ACCESSORIES - SOIL CULTIVATION

	1	CODE		2	CODE
		R - INT0185A			R - INT0283A
		L - INT0198A			L - INT0295A
Interrow plowshare with weeding palette - R/L			50 cm Blade combination kit with harrow and Ø30 cm Brush - R/L		

	3	Ø 30 cm	Ø 60 cm	Ø 70 cm
		CODE	CODE	CODE
		R - INT0098A	R - INT0043A	R - INT0055A
		L - INT0137A	L - INT0149A	L - INT0285A
Harrow and brush unit - (Ø30/60/70cm) - R/L				

	4	50 cm	60 cm	80 cm
		CODE	CODE	CODE
		R - INT0134A	R - INT0119A	R - INT0276A
		L - INT0135A	L - INT0118A	L - INT0288A
	Inter-row blade made of HARDOX with raking steel tools, sensor and lug - (50/60/80 cm) - R/L			

	5	2 DISKS	3 DISKS	4 DISKS	5 DISKS
		CODE	CODE	CODE	CODE
		R-INT0281A	R-INT0188A	R-INT0202A	R-INT0244A
		L-INT0289A	L-INT0204A	L-INT0208A	L-INT0247A
Hydraulic rotary weeder Ø30,5 with plant cleaning scrapers (2/3/4/5 Disks) - R / L					

	6	DX	SX
		CODE	CODE
		COL0015A	INT0291A
Rotating harrow head group (60cm) - R / L			

	7	Ø 45 cm	Ø 60 cm	Ø 80 cm
		CODE	CODE	CODE
		R - INT0326A	R - INT0321A	R - INT0723A
		L - INT0330A	L - INT0331A	L - INT0365A
Vertical round rotary tiller head (Ø45/60/80 cm) - R/L				

	8	1 DISK	2 DISKS
		CODE	CODE
		R - INT0364A	R - INT0342A
		L - INT0370A	L - INT0371A
Hydraulic motorized disk ridger head Ø30,5 cm - (1/2 Disks) - R/L			

ACCESSORIES - MECHANICAL WEEDING

	9	50 cm	60 cm
		CODE	CODE
		R - INT0176A	R - INT0174A
		L - INT0177A	L - INT0175A
Horizontal inter-row arm with special 6 mm (50/60 cm) wires - R / L . Suitable for mechanical weeding in organic farming			

	10	60 cm	80 cm
		CODE	CODE
		R - INT0277A	R - INT0297A
		L - INT0286A	L - INT0298A
Mini-cutter head 60/80 cm suitable for mechanical weeding in organic farming - R/L			

	11	Ø 45 cm	Ø 60 cm	Ø 80 cm
		CODE	CODE	CODE
		R - INT0366A	R - INT0267A	R - INT0368A
		L - INT0367A	L - INT0290A	L - INT0369A
		Mower head for mechanical weeding in organic farming - (Ø 45/60/80 cm) - R/L		


	12	CODE		13	CODE
		R - INT0079A			R - INT0089A
		L - INT0293A			L - INT0095A
	Brush cutter head Ø60 cm with special Ø4mm wires suitable for mechanical weeding in organic farming - R/L		Head self-levelling system (only for accessories n.9/11/12) - R/L		

ACCESSORIES ON REQUEST

	14	CODE		15	CODE
		INT0299A			INT0195A
		Kit of telescopic track eradicator disc Ø33 cm - R/L			Right and Left Telescopic safety shank complete with tool hoe, for blade protection in case of collision with fixed obstacles

	16	CODE		17	CODE
		INT0300A			COM0202
	Right and left lateral containment bulkheads kit		Kit Agriculture 4.0/5.0 for inter-rows equipments (1 year X FARM licence, 5 years 4G connectivity,wiring) - Supervises: rounds/min PTO, oil temperature, speed, position, working hours		

	18	140 cm	150 cm	160 cm
		CODE	CODE	CODE
		COL0004A	COL0101A	COL0297A
		Self-leveling helical roller Ø 35 cm N.B. Sizes other than those listed can be manufactured upon request		

	19	RIGHT WHEEL	LEFT WHEEL
		CODE	CODE
		STD0210A	STD0211A
		Hydraulic kit of depth regulation of the wheels - R/L	

	20	2 HYDRAULIC MOVEMENTS	3 HYDRAULIC MOVEMENTS	4 HYDRAULIC MOVEMENTS
		CODE	CODE	CODE
		COM0184	COM0185	COM0186
		Electro-hydraulic distributor for controlling machine movements (2/3/4 movements) <i>The tractor required double acting hydraulic remote outlets</i>		

	21	CODE
		INT0178A
		Self-leveling hydraulic inclination of tools (± 20°) - R/L